




ELOQUENCE®

Maison Fondée en 2002

HELENA BED

Assembly Instructions & Care




PLEASE NOTE:


The Helena Bed can be assembled solo, but you will find it easier with two people!

LIST OF ELOQUENCE® HELENA BED PARTS

HEADBOARD



BED RAILS X 2




MATTRESS SLATS



STRAIGHT
SLAT X 1


"T" SLATS X 6




FOOTBOARD



BRACKETS X 4



BED RAIL BOLTS
AND WASHERS X 16




2X ALLEN WRENCH
1 X HEX WRENCH



STEP 1.

LINE UP THE HEADBOARD AND FOOTBOARD
WITH THE LEFT AND RIGHT BED RAILS.


Please look for the L & R imprint stamps in the wood
on each piece to guide you.



READ BEFORE PROCEEDING TO STEP 2.


The bed rail attachment varies by configuration.

CONFIGURATION A



Crossbar Attachment

CONFIGURATION B




Mounting Plate

Look for the appropriate configuration label at the top of the following pages before proceeding. Follow STEPS 2 & 3 accordingly.

READ BEFORE PROCEEDING TO STEP 2.

CONFIGURATION A



Crossbar Attachment


Look for the appropriate configuration label at the top of the following pages before proceeding. Follow STEPS 2 & 3 accordingly.

CONFIGURATION A

Crossbar Attachment


STEP 2.

ATTACH THE BED RAILS
TO THE HEADBOARD
AND FOOTBOARD.




CONFIGURATION A

Crossbar Attachment



READ BEFORE PROCEEDING TO STEP 2.

CONFIGURATION B



Mounting Plate

Look for the appropriate configuration label at the top of the following pages before proceeding. Follow STEPS 2 & 3 accordingly.

CONFIGURATION B

Mounting Plate


HEADBOARD

LINE UP BOLT HOLES TOGETHER

STEP 2.

ATTACH THE HEADBOARD RAIL
TO THE LEFT AND RIGHT BED
RAILS.

RIGHT BED RAIL



CONFIGURATION B

Mounting Plate

STEP 3.

HEADBOARD

PLACE BOLT WITH WASHER IN BOLT HOLE. USE HEX WRENCH TO TIGHTEN BOLTS AND WASHERS TO SECURE BED RAILS TO THE HEADBOARD.


TIGHTEN CLOCKWISE

WASHER

BOLT

HEX WRENCH

RIGHT BED RAIL



STEP 4.

ONCE RAILS ARE ATTACHED SECURELY TO BED FRAME,
INSERT MATTRESS SUPPORT SLATS INTO BASE.




6 X "T" SLATS



1 X STRAIGHT SLAT

(STRAIGHT SLAT GOES
AT END BY FOOTBOARD)



CARE INSTRUCTIONS

Store your hex wrench and copy of instructions in a safe place for easy disassembly & reassembly.

If you misplace your hex wrench, use a 5/32 Allen wrench or a T25 Torx wrench (star type) from the hardware store to build.



For best cleaning results, please consult a professional upholstery cleaner.

This Eloquence® piece has been thoughtfully designed in Los Angeles and is inspired by an authentic European antique. Every design is carefully hand-carved and hand-painted, composed start to finish by artisans devoted to their craft. We hope you enjoy your Eloquence® piece for years to come.



WWW.ELOQUENCE.COM
3601 Holdredge Ave.
Los Angeles, CA 90016
T: 310-876-0661 F: 310-876-0667
INFO@ELOQUENCE.COM